

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
14 April 2005 (14.04.2005)


PCT

(10) International Publication Number
WO 2005/033803 A2

- (51) International Patent Classification⁷: G03G
- (21) International Application Number: PCT/KR2004/002561
- (22) International Filing Date: 7 October 2004 (07.10.2004)
- (25) Filing Language: Korean
- (26) Publication Language: English
- (30) Priority Data:
10-2003-0070060 8 October 2003 (08.10.2003) KR
- (71) Applicant (for all designated States except US): DAEHAN SPECIALTY CHEMICALS CO., LTD. [KR/KR]; 383, Daejung-Ri, Onsan-Eup, Ulju-Gun, Ulsan City 689-892 (KR).
- (72) Inventors: KWON, Jong Ho; #401, 106-Dong, Dongbu Apt., 1412, Jwa-Dong, Kaeundae-Gu, Busan 612-778 (KR). JUNG, Ki Suck; #102, Daedong Villa 4th,, 871-18, Daeyoun-Dong, Nam-Gu, Busan 608-021 (KR). SON, Woo Ho; #701, Myoungjin Prime Vil, 876-13,
- (74) Agent: LEE, Hoon; 649-14, Yeoksam-Dong, Gangnam-Gu, Seoul 135-080 (KR).
- (81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI,

[Continued on next page]

(54) Title: METHOD FOR PREPARING OXYTITANIUM PHTHALOCYANINE CHARTGE GENERATING MATERIAL AND APPARATUS FOR PREPARING THE SAME



(57) Abstract: Disclosed herein are a method and an apparatus for preparing oxytitanium phthalocyanine as a charge generating material. The method comprises the steps of homogeneously mixing an oxytitanium phthalocyanine crude with an organic solvent while microwave energy having a frequency of 0.1~100 GHz and a power of 10~3,000W and ultrasonic wave energy having a frequency of 1~1,000kHz and a power of 10~5,000W are applied thereto, and reacting the mixture at 30~100°C for 0.5~5 hours. The apparatus comprises: a magnetron 1 capable of generating a frequency of 0.1~100GHz and a power of 100~3,000W; a mode stirrer 3 for making the wavelength of microwaves uniform in a microwave container 2; a PID type temperature controller 9 for accurately measurement and controlling the temperature of reactants; a K-type thermocouple shielded

from microwaves 4; a condenser 5; an agitator 6, the thermocouple 4, the condenser 5 and the agitator 6 being inserted into three openings formed at a top of the microwave container 2; an ultrasonic tip 7 inserted into an opening formed at a bottom of the microwave container 2; a Pyrex container 9 into which the reactants are introduced; and a solvent tank 10. According to the method and the apparatus, an oxytitanium phthalocyanine charge generating material having superior thermal stability and crystal stability can be prepared in an efficient manner.

WO 2005/033803 A2



SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ,
GW, ML, MR, NE, SN, TD, TG).

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

Published:

- *without international search report and to be republished upon receipt of that report*